

METHOD OF PACKAGING WASHBASIN TABLE ASSEMBLY

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to method of packaging washbasin table assembly, and more particularly to a packaging to a pre-combined assembly of washbasin and wash-
5 ing table so as to avoid individually repeatedly packing, further to facilitate to sell and install for the customer by himself.

2. Description of Prior Art

In accordance with the conventional construction material market, the washbasin
10 and its table are packaged separately and individually, when selling, the customers should buy the washbasin and wash table respectively in accordance of necessary, then by some special tools combine them together, if the predrilled hole on the wash table is not match-
ing with the size of the washbasin—just like smaller, have to treat the hole of the wash table in broaching so that they are matching, then just combine and install them with some
15 tools. But in fact, broaching the hole by the customers self not only brings up some trouble, but also often damages the wash table by unexpected miss operation so as to cause rejection.

So, the washbasin and the wash table are respectively packaged, it not only occurs repeatedly package to bring to waste, but also inconvenient for packaged selling and buy-
20 ing complete set to the customers, and installing after buying by customers self. Therefore, providing a pre-matched assembly of the washbasin and wash table as a complete goods and integral package can avoid efficiently repeated package, and facilitate selling and buying, so that the customers can install them by themselves as a DIY goods. Hence, it is essential to so far development of the construction material market.

25 But how to pack the new combined goods is an issue to the manufacturers.

OBJECTS AND SUMMARY OF THE INVENTION

It is therefore a main object of the present invention to provide a method of packaging combined wash table that can avoid repeatedly packaging, facilitating selling and to customers installing by themselves.

5 For achieving the object mentioned above, the present invention provides a method of packaging a combined wash table including following steps as:

The first step is to cut the plate into the size as the wash table that the customers can install individually and directly, and pre-drill a setting hole for the washbasin and at least two location holes for mounting.

10 The second step is to lay the wash table and the washbasin matching with the pre-drilled setting hole and location holes on a crash pallet together.

The third step is to wrap the wash table and washbasin on the crash pallet up so that the wash table and the washbasin are held in the crash pallet tightly without any loosening.

15 Based on above-mentioned first step, the wash table should be pre-drilled an inlet pipe hole at least.

Based on the third step, after wrapping the wash table and the washbasin on the crash pallet up, at least remains a window for the customers looking at the wash table and the washbasin, or touching them directly.

20 As wrapping up in the third step, all the location parts for locating the washbasin on the wash table, like locating bolts and wing nuts and so on, should be attached at inside.

In the third step, the splash apron of the wash table should be wrapped up together.

25 Adding a step before the second step, in which firstly the washbasin is located on the pre-drilled setting hole of the wash table with the locating parts via the location holes, just like the locating bolts, the wing nuts and the cementing agent and so on to combine a complete set of goods, then put the combined assembly of the wash table and the washbasin on the crash pallet.

In the third step, wrap the wash table and the washbasin on the crash pallet up with Kraft paper and tie in so that the wash table and the washbasin are fastened on the crash pallet without any loosening.

30 Utilizing above-mentioned method, the present invention can package the matching wash table and the washbasin by means of the crash pallet up together to compound a complete set of goods, thereby avoiding the shortcoming of repeatedly wrapped the wash table and the washbasin respectively in the prior art, meanwhile saving the packaging cost,

and the complete set package makes the customers able to install by themselves, especially if the wash table and the washbasin are pre-combined together with the locating parts, just like locating bolts, the wing nuts and the cement agent and so on, it facilitates to the installation greatly. Therefore, the packaging method of the present invention provides a new

5 DIY goods meeting to the development of the so far construction material market.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a flowchart of the present invention.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

Referring to Fig. 1, the preferred embodiment of the present invention is to provide
5 a method, in which firstly the plate is cut into the size that the customers can install individually and directly, and a setting hole for the washbasin and at least two location holes for mounting, if necessary, one or two inlet pipe holes can be drilled according to the requirement, in the essential condition, at least one inlet pipe hole should be remained.

Then, combine the wash table and the washbasin matching the pre-drilled setting
10 hole and the location holes (and the inlet pipe hole, if providing) together with the location parts (like the locating bolts, the wing nuts and the cement agent and so on) to assemble a complete set of goods. In the other case, said wash table and the washbasin may not be pre-combined in fastening, but it will make the customers do this step by themselves.

Next, place the complete set of goods assembled of the wash table and washbasin
15 on a crash pallet.

Finally, wrap the crash pallet holding the wash table and the washbasin in up so
that the wash table and the washbasin are held in the crash pallet tightly without any loos-
ing. In this step, the packing can be selected of Kraft paper, by using the Kraft paper the
crash pallet holding the wash table and the washbasin in is wrapped up and tied down with
20 gum or bundling tie and so on. If the wash table and the washbasin are not pre-combined together, all the location parts (like the locating bolts, the wing nuts and so on) should be wrapped up in for facilitating the customers using them to locate the washbasin by themselves directly. Of cause, in accordance with the requirement of the design, the splashing apron of the wash table can be wrapped up together in convenience of anti-splashing instal-
25 lation for the customers.

For facilitating to the customers looking at the wash table and the washbasin, or
touching them, after wrapping up, at least remain a window as a viewing port, for example,
as wrapping with the Kraft paper, remain a window on the wrapping paper so that the cus-
tomers can see or touch the wash table and the washbasin for facilitating to select.